

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1559	370/235.ccls. and (@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:33
S2	3023	370/389.ccls. and (@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:33
S3	734	370/394.ccls. and (@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:33
S4	218	370/395.3.ccls. and (@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:33
S5	253	370/395.31.ccls. and (@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:33
S6	163	370/395.32.ccls. and (@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:33
S7	246	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same ((sequenc\$3 or order) with packet\$2) same flow\$2 and (connectionless or IP NOT TCP))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:35

## EAST Search History

S8	32	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same ((sequenc\$3 or order) with packet\$2) same flow\$2 and (connectionless or IP NOT TCP)) and (370/235,389).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 21:29
S9	41	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same ((sequenc\$3 or order) with packet\$2) same flow\$2 and (connectionless or IP NOT TCP)) and (370/235,389,394,395.3,395.31,395.32).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:09
S10	1	("6876654").PN.	USPAT; USOCR	OR	OFF	2007/10/13 11:54
S11	0	("20030037042").PN.	USPAT; USOCR	OR	OFF	2007/10/13 11:55
S12	1	("20030037042").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/13 11:55
S13	91	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same (sequenc\$3 or order) same (connectionless) same (route\$2 or path\$2 or hop\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:11
S14	16	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same (sequenc\$3 or order) same (connectionless) same (route\$2 or path\$2 or hop\$2)) and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:14

## EAST Search History

S15	0	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same (sequenc\$3 or order) same (connectionless) same (route\$2 or path\$2 or hop\$2)).ab. and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:13
S16	16	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same (sequenc\$3 or order) same (connectionless)) and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) and ((stor\$2 or select\$3 or pick\$3) with (route\$2 or path\$2 or hop\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:23
S17	325	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) and ((stor\$2 or select\$3 or pick\$3) with (route\$2 or path\$2 or hop\$2)) same (flow\$2) and (connectionless or (IP not TCP))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:25
S18	85	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) same (last or remain\$3 or zero or left) and ((stor\$2 or select\$3 or pick\$3) with (route\$2 or path\$2 or hop\$2)) same (flow\$2) and (connectionless or (IP not TCP))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:26

## EAST Search History

S19	50	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) same (last or remain\$3 or zero or left) and ((stor\$2 or select\$3 or pick\$3) with (route\$2 or path\$2 or hop\$2)) same (flow\$2) and (connectionless or (IP not TCP)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:28
S20	10	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) same (last or remain\$3 or zero or left) same router and ((stor\$2 or select\$3 or pick\$3) with (route\$2 or path\$2 or hop\$2)) same (flow\$2) same router and (connectionless or (IP not TCP)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:41
S21	52	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) same (last or remain\$3 or zero or left) same flow\$2 same router	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:41
S22	28	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) same (last or remain\$3 or zero or left) same flow\$2 same router and ("370").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:56

## EAST Search History

S23	1	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (lookup or table or cache) same ((last or remain\$3 or zero or left) with flow\$2) same router) and ("370").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:03
S24	4	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (lookup or table or cache or route\$2 or path\$2 or hop\$2) same ((last or remain\$3 or zero or left) with flow\$2) same router) and ("370"). clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:06
S25	120	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (lookup or table or cache or route\$2 or path\$2 or hop\$2) same flow same router) and ("370").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:06
S26	6	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (lookup or table or cache or route\$2 or path\$2 or hop\$2 or entr\$3) same ((last or remain\$3 or zero or left) with flow\$2) same router) and ("370").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:06
S27	127	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (lookup or table or cache or route\$2 or path\$2 or hop\$2 or entr\$3) same flow same router) and ("370").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:24
S28	1	("7103708").PN.	USPAT; USOCR	OR	OFF	2007/10/13 13:12

## EAST Search History

S29	12670	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (cam\$2 with flow\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:25
S30	189	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (cam\$2 with flow\$2) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:26
S31	388	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((cam\$2 or (content address\$4 memor\$4)) with flow\$2) same (eras\$4 or delet\$4 or remov\$4) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:29
S32	55	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((cam\$2 or (content address\$4 memor\$4)) with flow\$2) same (eras\$4 or delet\$4 or remov\$4) with (path\$2 or rout\$4 or hop\$2) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:30
S33	1	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((cam\$2 or (content address\$4 memor\$4)) with flow\$2) same (eras\$4 or delet\$4 or remov\$4) with (path\$2 or rout\$4 or hop\$2) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 13:38
S34	2066	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (flow\$2 with (table\$2 or cache\$2) with (route\$2 or path\$2 or hop\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 13:39

## EAST Search History

S35	551	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (flow\$2 with (table\$2 or cache\$2) with (route\$2 or path\$2 or hop\$2)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 13:40
S36	16	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (flow\$2 with (table\$2 or cache\$2) with (route\$2 or path\$2 or hop\$2) with (eras\$2 or remov\$2 or delet\$3)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:07
S37	36	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (flow\$2 with (table\$2 or cache\$2) with (route\$2 or path\$2 or hop\$2) same (eras\$2 or remov\$2 or delet\$3)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:08
S38	20	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (flow\$2 with (table\$2 or cache\$2) with (route\$2 or path\$2 or hop\$2) same (eras\$2 or remov\$2 or delet\$3)) and "370".clas. not S36	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:12
S39	5	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (remain\$ with packet\$2) with flow with (eras\$3 or delet\$3 or remov\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:15
S40	339	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (remain\$ with packet\$2) with flow	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:16

## EAST Search History

S41	219	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (remain\$ with packet\$2) with flow and "370". clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:21
S42	18	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (remain\$ with packet\$2) with flow\$2 same (eras\$5 or delet\$2 or remov\$2) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:31
S43	116	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (no\$2 with packet\$2) with flow\$2 same (eras\$5 or delet\$2 or remov\$2) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:38
S44	44	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (no\$2 with packet\$2) with flow\$2 with (eras\$5 or delet\$2 or remov\$2) and "370". clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:38
S45	25	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (no with packet\$2) with flow\$2 with (eras\$5 or delet\$2 or remov\$2) and "370". clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:39
S46	39	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (updat\$3 with time with packet\$2 with (receiv\$5 or arrival\$3) with flow\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 15:11
S47	1	(US-7248586-\$).did.	USPAT	OR	OFF	2007/10/14 20:45
S48	1	S47 and (routing or table or lookup or cache) with stor\$3	USPAT	OR	OFF	2007/10/14 20:46



## EAST Search History

S49	13740	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (select\$5 with (route\$2 or path\$2 or hop\$2) with stor\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 21:29
S50	881	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (select\$5 with (route\$2 or path\$2 or hop\$2) with stor\$3) same (flow\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 21:30
S51	12	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (select\$5 with (route\$2 or path\$2 or hop\$2) with stor\$3) same (flow\$2) and connectionless	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 21:33
S52	52	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (select\$5 with (route\$2 or path\$2 or hop\$2) with stor\$3) same (flow\$2) and (ip not tcp)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 21:33
S53	70	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (select\$5 with (route\$2 or path\$2 or hop\$2) with stor\$3) same (flow\$2) and (ip not "tcp/ip")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 22:42
S54	70	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (select\$5 with (route\$2 or path\$2 or hop\$2) with stor\$3) same (flow\$2) and (ip not ("tcp/ip" and tcp and (tcp adj ip)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 21:39

## EAST Search History

S55	44	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (select\$5 with (route\$2 or path\$2 or hop\$2) with stor\$3) with (flow\$2) and (ip not ("tcp/ip" and tcp and (tcp adj ip)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 21:39
S56	0	("2007/0011226").URPN.	USPAT	OR	OFF	2007/10/14 21:40
S57	324	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((delet\$5 or remov\$4 or eras\$5) with (path\$3 or (route\$2 not router) or hop\$3) with flow with (no packet\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 22:44
S58	0	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((delet\$5 or remov\$4 or eras\$5) with (path\$3 or (route\$2 not router) or hop\$3) with flow with (no adj packet\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 22:44
S59	0	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((delet\$5 or remov\$4 or eras\$5) with (path\$3 or (route\$2 not router) or hop\$3) with flow with ((zero or no) adj packet\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 22:44
S60	0	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((delet\$5 or remov\$4 or eras\$5) with (path\$3 or (route\$2 not router) or hop\$3) with flow with ((zero or no) adj3 packet\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 22:45
S61	21	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((delet\$5 or remov\$4 or eras\$5) with (path\$3 or (route\$2 not router) or hop\$3) with flow with (packet\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 22:53

## EAST Search History

S62	0	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((delet\$5 or remov\$4 or eras\$5) with (path\$3 or (route\$2 not router) or hop\$3) with flow\$2 with ( no adj3 packet\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 22:53
S63	13	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((delet\$5 or remov\$4 or eras\$5) with flow\$2 with ( no adj3 packet\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 22:56
S64	22	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((delet\$5 or remov\$4 or eras\$5) with flow\$2 with ( (no OR ZERO) adj5 packet\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 23:09
S65	8	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((delet\$5 or remov\$4 or eras\$5) with (route\$2 or hop\$2 or path\$2) same flow\$2 with ( (no OR ZERO) adj5 packet\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 23:17
S66	0	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((delet\$5 or remov\$4 or eras\$5) with (route\$2 or hop\$2 or path\$2) same flow\$2 with ( (no OR ZERO) adj5 datagrams\$2 ))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 23:16
S67	6	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((delet\$5 or remov\$4 or eras\$5) with (route\$2 or hop\$2 or path\$2) with flow\$2 with ( (no OR ZERO) near5 packet\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/14 23:18